

FREMONT TOWNSHIP REGULAR MEETING
WINN COMMUNITY BUILDING
JULY 26, 2011

The meeting was called to order by the supervisor Gerad Himebaugh at 7:00 p.m.
Members present: Schimmelmann, Himebaugh, Curtiss, Van Bonn, Barrett

Motion by Curtiss and supported by VanBonn to accept the minutes of June 28, 2011

Motion by Schimmelmann and seconded by Barrett to accept treasurer's report as published: Motion Passed.

General Fund Balance	\$41,615.87
Investment Account	\$140,430.17
Certificate of Deposit *	\$0
Fire Department	\$9,132.29
First Response	\$47,909.37
Planning & Zoning	\$177.69

* *Certificates of Deposit were cashed in an applied to the Isabella Bank loan for the Batchelder Drain Assessment.*

Motion by Curtiss and seconded by VanBonn to pay bills. Motion Passed.

General Fund	Check#8695-8720+EFTPS	\$28,877.52
Fire Fund	Check#4375-4381+Elect Trans	\$2,350.30
First Response	Check 767-770	\$4,787.12
P & Z	Check #613-618	\$375.00

Reports

Board Report: Clerk and Treasurer met with Isabella Bank to transfer funds in CD to principle and interest of Batchelder drain assessment.

Fire Chief: Warranty work completed on new fire truck.

Zoning Inspector: No new permits

First Response: 14 calls. Winn Shopping Center Bldg in bad condition and may have to have fences around it.

Old Business

Old bleachers should be removed soon.

No action on pavilion lighting

Zoning board has met on several occasions to consider impact of marijuana (MMMA) on Fremont Township.

New Business

1. Motion by Schimmelmann and supported by Curtiss to approve changing the township insurance back to the Michigan Par Plan, and represented by Bamberger Agency, Saginaw, MI. Trident Insurance (Pinnacle) raised it competitive rate over \$1200.00 over last years premium. Motion Passed.

Public Comment

Lois Sandbrook reported that the WAAC program is going well this summer.

Need to contact Brian Moulter to remove some trees around the community center.

Meeting adjourned at 7:40 p.m.

Respectfully submitted,



John Schimmelmann Clerk